PCA T5 EXCEL one4all lp 14–35 W 220–240 V 50/60/0 Hz, dimmable

Æ (E





- cross section 21 x 30 mm
- dimming range from 1-100 %
- lamp start at 1 % possible
- lamp friendly warm start within 0.5 s with AC and 0.2 s with DC
- low power consumption in standby mode < 0.5 W (0.8 W in DSI or switch**DIM** mode)
- powerless switching through digital interface
- dimming which is comfortable to the eye
- disturbance free precise control with a digital signal (DSI), switchDIM or DALI (digital addressable lighting interface)
- error feed back and programmable features in both DALI and DSI mode
- integrated SMART interface
- fully digital lamp management and digital communication

Ballast

I amn

- Intelligent Voltage Guard (over voltage indication and under voltage protection)
- Intelligent Temperature Guard (Protection against thermal failure)
- DC operation in emergency lighting installations according to EN 50172

Programmable features:

- DC level programmable
- dimming in DC mode can be chosen
- backwards compatibility adjustable
- adjustable dimming speed in switchDIM operation (3 s or 6 s)
- smart heating concept enables fastest fade times (50 ms from min → max or reverse)
- NEW: with DALI memory and corridorFUNCTION

Packaging:

360 mm housing box of 10 76 boxes/pallet 760 pieces/pallet

425 mm housing box of 25 33 boxes/pallet 825 pieces/pallet

Certified:

EN 55015 EN 55022 EN 60929 EN 61000-3-2 EN 61347-2-3 EN 61547 Suitable for emergency installations according to EN 50172

Lamp			Dunuot										
	watt-	length	type	article	length	fixing	weight	circuit	lamp	current	λ	tc point	temperature
	age			number	L	centres		power	power	at 230V/50Hz	at 230V/50Hz		range 1
	W			mm	D mm	kg	W©	W 2	A ②		°C	°C	
	14	549	PCA 1/14 T5 EXCEL lp 220/240V 50/60/0Hz	22088511	360	350	0.27	16.8	14	0.07	0.97	75	$-25 \rightarrow +60$
	2x14	549	PCA 2/14 T5 EXCEL lp 220/240V 50/60/0Hz	22088527	360	350	0.28	33.4	2x14	0.15	0.98	85	$-25 \rightarrow +60$
	21	849	PCA 1/21 T5 EXCEL lp 220/240V 50/60/0Hz	22088495	360	350	0.27	23.4	21	0.11	0.96	80	$-25 \rightarrow +60$
	2x21	849	PCA 2/21 T5 EXCEL lp 220/240V 50/60/0Hz	22088502	360	350	0.29	46.0	2x21	0.21	0.97	80	$-25 \rightarrow +60$
	28	1149	PCA 1/28 T5 EXCEL lp 220/240V 50/60/0Hz	22088473	360	350	0.27	31.4	28	0.14	0.99	80	$-25 \rightarrow +60$
	2x28	1149	PCA 2/28 T5 EXCEL lp 220/240V 50/60/0Hz	22088489	360	350	0.28	61.3	2x28	0.27	0.99	80	$-25 \rightarrow +50$
	35	1449	PCA 1/35 T5 EXCEL lp 220/240V 50/60/0Hz	22088454	360	350	0.27	38.6	35	0.17	0.99	80	$-25 \rightarrow +60$
	2x35	1449	PCA 2/35 T5 EXCEL lp 220/240V 50/60/0Hz	22088467	425	415	0.33	75.5	2x35	0.33	0.99	85	$-25 \rightarrow +50$

① 10 °C to ta max: normal diming operation

-25 °C to +10 °C: dimming operation from 100 % to 30 %.

-25 °C to +10 °C, dimming below 30 %: Ballast could shut down but will not cause failure. This relates to AC and DC operation.

2 valid at 100 % light output



Lamp starting characteristics: Warm start

Starting time 0.5 s with AC Starting time 0.2 s with DC Start at any dimming level



Intelligent Voltage Guard

Intelligent Voltage Guard is the name of the new electronic monitor from TridonicAtco. This innovative feature of the PCA family of control gear from TridonicAtco immediately shows if the mains voltage rises above or falls below certain thresholds. Measures can then be taken quickly to prevent damage to the control gear.

- If the mains voltage rises above
 305 V the lamps start flashing on and off.
- This signal "demands" disconnection of the power supply to the lighting system.
- The active-current-control of these control gears is protected against failure caused by the high mains currents generated as a result of mains undervoltage. The switch off level depends on lamp wattage and is typically < 140 V.



Intelligent Temperature Guard

The intelligent temperature guard protects the ballast from thermal failure by reducing output power or switching off in case of operation above the thermal limits of the luminaire or ballast. Depending on the luminaire design, the ITG operates at about 5 to 10 °C above Tc temperature.



corridorFUNCTION

The corridorFUNCTION can be programmed in two different ways.

To program the corridorFUNCTION by means of software a DALI-USB interface is needed in combination with a DALI PS. The software can be the configTOOL, the pcaCONFIGURATOR or the corridorFUNCTION CONFIGURATOR. To activate the corridorFUNCTION without using software a voltage of 230 V simply has to be applied for five minutes at the switchDIM connection. The unit with then switch automatically to the corridorFUNCTION.

Note: If the corridorFUNCTION is wrongly activated in a switchDIM system (for example a switch is used instead of pushbutton), there is the option of installing a pushbutton and deactivating the corridorFUNCTION mode by five short pushes of the button within three seconds.



AC operation:

Mains voltage 220–240 V 50/60 Hz 198–264 V 50/60 Hz including safety tolerance (±10 %) 202–254 V 50/60 Hz including performance tolerance (+6 % / -8 %)

Emergency devices:

Ballasts from the "low profile" series are compatible with all emergency units from TridonicAtco. See the table in the data sheet. When used with other emergency units tests are necessary.

Mains currents in DC operation:

Ballast Mains current at Mains current at $U_{\text{n}}=220 \text{ VDC}$ $U_n = 240 \text{ VDC}$ Type PCA 1/14 T5 EXCEL lp 220-240V 50/60/0Hz 0.07 A 0.06 A PCA 1/21 T5 EXCEL lp 220-240V 50/60/0Hz 0.09 A 0.08 A PCA 1/28 T5 EXCEL Ip 220-240V 50/60/0Hz 0.11 A 0.11 A PCA 1/35 T5 EXCEL Ip 220-240V 50/60/0Hz 0.14 A 0.14 A PCA 2/14 T5 EXCEL lp 220-240V 50/60/0Hz 0.12 A 0.12 A PCA 2/21 T5 EXCEL Ip 220-240V 50/60/0Hz 0.17 A 0.15 A PCA 2/28 T5 EXCEL lp 220-240V 50/60/0Hz 0.29 A 0.26 A PCA 2/35 T5 EXCEL lp 220-240V 50/60/0Hz 0.33 A 0.36 A

Light output level in DC operation:

Programmable from 1 % to 70 % Programming by extended DSI signal (16 bit) Default value is 70 % In DC operation dimming mode can be activated.

Ballast lumen factor AC operation (AC-BLF) EN 60929 8.1:

Banaor famon faotor no oporation (no BEI) En ocoEo orn									
Ballast	AC-BLF at								
Туре	Un = 230 VAC								
PCA 1/14 T5 EXCEL lp 220-240V 50/60/0Hz	1.00								
PCA 1/21 T5 EXCEL lp 220-240V 50/60/0Hz	1.01								
PCA 1/28 T5 EXCEL lp 220-240V 50/60/0Hz	1.01								
PCA 1/35 T5 EXCEL lp 220-240V 50/60/0Hz	1.02								
PCA 2/14 T5 EXCEL lp 220-240V 50/60/0Hz	1.01								
PCA 2/21 T5 EXCEL lp 220-240V 50/60/0Hz	0.98								
PCA 2/28 T5 EXCEL lp 220-240V 50/60/0Hz	1.00								
PCA 2/35 T5 EXCEL lp 220-240V 50/60/0Hz	1.00								

The ballast lumen factor for AC operation (AC-BLF) does not alter from $U_n = 198$ VAC to $U_n = 254$ VAC.

The ballast lumen factor for DC operation (DC-BLF) on the basis of an automatic power reduction of the ballasts (default value is 70 %) will be smaller than AC. It does not alter in the DC operating range (198–280 VDC).

Harmonic distortion in the mains supply (at 220 V/50 Hz):

DdildSL						
Туре	THD	3	5	7	9	11
PCA 1/14 T5 EXCEL lp 220-240V 50/60/0Hz	11.6	8.1	5.4	4.2	3.8	1.3
PCA 1/21 T5 EXCEL lp 220-240V 50/60/0Hz	7.0	3.9	2.0	2.3	2.0	2.0
PCA 1/28 T5 EXCEL lp 220-240V 50/60/0Hz	6.8	3.3	2.0	1.9	2.0	1.6
PCA 1/35 T5 EXCEL lp 220-240V 50/60/0Hz	6.6	4.1	2.5	1.8	1.3	1.6
PCA 2/14 T5 EXCEL lp 220-240V 50/60/0Hz	6.5	4.1	2.3	1.8	1.5	1.3
PCA 2/21 T5 EXCEL lp 220-240V 50/60/0Hz	7.6	5.3	2.9	1.6	1.7	1.3
PCA 2/28 T5 EXCEL lp 220-240V 50/60/0Hz	7.6	5.7	1.5	1.4	1.1	1.2
PCA 2/35 T5 EXCEL lp 220-240V 50/60/0Hz	6.6	5.8	0.8	1.5	0.8	1.1

DC operation:

220–240 V 0 Hz 198–280 V 0 Hz certain lamp start 176–280 V 0 Hz operating range Use in emergency lighting installations according to EN 50172 or for emergency luminaires according to EN 61347-2-3 appendix J.

Temperature range:

Unlimited dimming range from 10 °C to ta max. Limited dimming range from -25 °C to +10 °C.

Dimming:

Dimming curve that is friendly to the eye. Dimming range 1 % to 100 % Digital control with:

- DSI signal: 8 bit Manchester Code Speed 1 % to 100 % in 1.4 s
- DALI signal: 16 bit Manchester Code Speed 1 % to 100 % in 550 ms (adjustable between 50 ms and 90 s) Programmable parameter: Minimum dimming level Maximum dimming level Default minimum = 1 % Programmable range 1 % \leq MIN \leq 49 % Default maximum = 100 % Programmable range 100 % \geq MAX \geq 50 %

Control input (DA/D1, DA/D2):

Digital DALI/DSI signal or switchDIM can be wired on the same terminals (DA/D1 and DA/D2).

Digital signal DALI/DSI:

The control input is non-polar and protected against accidental connection with a mains voltage up to 264 V. The control signal is not SELV. Control cable should be installed in accordance to the requirements of low voltage installations.

Different functions depending on each module.

SMART interface:

An additional interface for the direct connection of the SMART-LS II Ip¹⁾ light sensor. The sensor registers actual ambient light and maintains the individually defined lux level.

After every mains reset the SMART interface automatically checks for an installed sensor. With the sensor installed the PCA T5 EXCEL one4all Ip automatically runs in the constant lux level mode. ON/OFF-Switch via mains, switchDIM or DALI/DSI signal.

DALI/DSI signal = 0 switches off,

DALI/DSI signal \geq 1 switches on. With relative DALI dimming commands (e.g. up, down etc.) or switchDIM signals it is possible to change the controlled light level temporarily. Temporarily means that after a switching cycle OFF/ON command the PCA T5 EXCEL one4all Ip will start at the preset value determined by the SMART-LS II Ip¹⁾. This preset can be set mechanically directly on the SMART-LS II Ip¹⁾. The installation of the two wire bus is according to the appropriate low voltage regulations.

¹⁾ SMART-LS II lp: article number 86458258

Dimming characteristics PCA EXCEL

Digital dimming value



Dimming characteristics as seen by the human eye

switchDIM:

Integrated switchDIM function allows a direct connection of a push to make switch for dimming and switching.

Brief push (< 0.6 s) switches ballast ON and OFF. The ballasts switch-ON at light level set at switch-OFF.

When the push to make switch is held, PCA ballasts are dimmed. After repush the PCA is dimmed in the opposite direction.

The switchDIM fade time is set to 3 s from min. to max. in the factory settings. With a 20 s push to the push to make switch this fade time can be changed to 6 s. In this instance the switchDIM application will be synchronized to 50 % light level after 10 s and after 20 s the light level rises to 100 % with the new fade time.

In installations with PCAs with different dimming levels or opposite dimming directions (e.g. after a system extension), all PCAs can be synchronized to 50 % dimming level by a 10 s push. Use of push to make switch with indicator lamp is not permitted.

switchDIM and corridorFUNCTION are very simple tools for controlling ballasts with conventional momentary-action switches or motion sensors. To ensure correct operation a sinusoidal mains voltage with a frequency of 50 Hz or 60 Hz is required at the control input.

Special attention must be paid to achieving clear zero crossings.

Serious mains faults may impair the operation of switchDIM and corridorFUNCTION.

Energy Savings PCA EXCEL





Backwards compatibility:

With a simple key combination a PCA EXCEL one4all lp can be reset as a normal PCA EXCEL from the previous generation. Synchronisation simply has to take place three times within one minute (3x10 s). To activate the "lp" settings again, synchronisation has to take place four times within one minute.



DALI PCA T5 EXCEL one4all lp



DSI PCA T5 EXCEL one4all lp



switchDIM PCA T5 EXCEL one4all lp

Loading of automatic circuit breakers:

Automatic circuit									
breaker type	C10	C13	C16	C20	B10	B13	B16	B20	
Installation Ø	1.5 mm ²	1.5 mm ²	1.5 mm ²	2.5 mm ²	1.5 mm ²	1.5 mm ²	1.5 mm ²	2.5 mm ²	
PCA 1/14 T5 EXCEL lp	50	80	150	180	25	40	75	90	
PCA 1/21 T5 EXCEL lp	50	80	120	150	25	40	75	90	
PCA 1/28 T5 EXCEL lp	38	54	78	92	19	27	39	46	
PCA 1/35 T5 EXCEL lp	34	50	76	86	17	25	38	43	
PCA 2/14 T5 EXCEL lp	38	54	78	92	19	27	39	46	
PCA 2/21 T5 EXCEL lp	30	40	60	64	15	20	30	32	
PCA 2/28 T5 EXCEL lp	24	34	48	52	12	17	24	26	
PCA 2/35 T5 EXCEL Ip	16	22	30	32	8	11	15	16	

Installation instructions:

Wiring type and cross section:

The wiring can be solid cable with a cross section of 0.5 to 0.75 mm² for push terminal and 0.5 mm² for concut terminal. For the push-wire connection you have to strip the insulation (8–9 mm).





Uout

300 V

420 V

460 V

460 V

420 V

Loosen wire through twisting and pulling

PCA 1/14 T5 EXCEL Ip 220-240V 50/60/0Hz

PCA 1/21 T5 EXCEL lp 220-240V 50/60/0Hz

PCA 1/28 T5 EXCEL Ip 220-240V 50/60/0Hz

PCA 1/35 T5 EXCEL lp 220-240V 50/60/0Hz

PCA 2/21 T5 EXCEL lp 220-240V 50/60/0Hz

PCA 2/14 T5 EXCEL lp 220-240V 50/60/0Hz 300 V

PCA 2/28 T5 EXCEL Ip 220–240V 50/60/0Hz 460 V PCA 2/35 T5 EXCEL Ip 220–240V 50/60/0Hz 460 V

Wiring advice:

The lead length is dependent on the capacitance of the cable.

Ballast	Terminal		Maximum capacitance allowed			
Туре	Cold	Hot	Cold	Hot		
PCA 1/xx T5 EXCEL lp	11, 12	9, 10	200 pF	100 pF		
PCA 2/xx T5 EXCEL lp	11, 12, 13, 14	9, 10, 15, 16	200 pF	100 pF		

With standard solid wire 0.5/0.75 mm² the capacitance of the lead is 30-80 pF/m.

This value is influenced by the way the wiring is made.

Lamp connection should be made with symmetrical wiring.

Hot leads (9, 10, 15, 16) and cold leads (11, 12, 13, 14) should be separated as much as possible. When using two or more dimmable ballasts in one luminaire with separate dimming controls, the lamp leads must be kept separate.

Dimmable ballasts from TridonicAtco have to be earthed.



leads 9, 10: keep wires short, max. 1.0 m
 leads 11, 12: max. 2.0 m; ballast must be earthed
 * digital signal (DSI), DALI or switchDIM

PCA T5 EXCEL one4all lp 14-35 W



* leads 9, 10, 15, 16: keep wires short, max. 1.0 m leads 11, 12, 13, 14: max. 2.0 m; ballast must be earthed

** digital signal (DSI), DALI or switchDIM

PCA T5 EXCEL one4all lp 2x14-2x35 W

Programming:

With appropriate software and a USB interface different functions can be activated and various parameters can be configured in the new PCA EXCEL one4all lp. All that is needed is a DALI-USB and the software.

configT00L

Full version for programming all the functions and parameters.

pcaCONFIGURATOR

For programming the corridorFUNCTION, device configuration (fade time, ePowerOnLevel, etc.) DC level, compatibility settings, and startup date and for resetting.

corridorFUNCTION CONFIGURATOR

For activating and deactivating the corridor-FUNCTION and for project-specific programming of the PCA EXCEL one4all units.



Wiring diagram for programming

Ballast Type

- RFI:Connection to the lamps of the hot leads must be kept as short as possible
- Mains leads should be kept apart from lamp leads (ideally 5–10 cm distance)
- Do not run mains leads adjacent to the electronic ballast
- Twist the lamp leads
- Keep the distance of lamp leads from the metal work as large as possible
- Mains wiring to be twisted when through wiring
- Keep the mains leads inside the luminaire as short as possible

General advise:

Electronic ballasts are virtually noise free. Magnetic fields generated during the ignition cycle can cause some background noise but only for a few milliseconds.

① For further technical information please visit <u>www.tridonicatco.com</u>

TRIDONIC