




High Quality Of Light

- Semi-specular and specular, efficiency up to 90%, lower glare.
- Complete range of beam angles and dimensions for various applications.
- User friendly.
- 特别的表面处理，出光效率高达90%，低眩光。
- 丰富的角度和尺寸规格可满足各种场合应用需求。
- 结构简便易拆装。

AL REFLECTOR SERIES

配套锐高的反光杯与透镜
REFLECTOR AND LENS FOR TRIDONIC



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
1-0918-M	45	38.6	9.8	45.7	18°	SLE G7 9MM	92.70.124.00	---
1-0919-M	45	38.8	10	45.7	23°			
1-0920-M	45	38.8	9.8	45.7	33°			




CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
1-1005-M	45	38.6	9.8	45.7	18°	SLE G7 9MM	BJB 47.360.1020	---
1-1006-M	45	38.8	9.8	45.7	23°			
1-1007-M	45	38.5	9.8	45.7	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
1709-M	49.6	46.4	16	21.7	15°	SLE G7 9MM	92.70.124.00	---
1687-M	49.6	46.4	16	21.7	24°			
1-0788-M	49.6	46.4	16	21.7	36°			
1689-M	49.6	46	16	21.7	70°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
1-0926-M	50	46	9.9	55.7	15°	SLE G7 9MM	92.70.124.00	---
1-0927-M	50	46	9.9	55.7	25°			
1-0928-M	50	46	9.9	55.7	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
1-1008-M	50	46	9.9	55.7	15°	SLE G7 9MM	BJB 47.360.1020	---
1-1009-M	50	46	9.9	55.7	25°			
1-1010-M	50	46	9.9	55.7	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1678-M	75	70	16	42.4	10°	SLE G7 9MM	92.70.124.00	---
2-1680-M	75	70	16	42.4	25°			
2-1682-M	75	70	16	42.4	36°			
3-2031-M	85	79.3	16	51	11°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1120-A3	75	71.4	25	43	15°	SLE G7 13MM	99.02.73.172	92.76.365.00
2-1121-A4	75	70.8	25	42.8	25°			
2-1122-A4	75	69.5	25	43	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1777-L	75	64.4	24	43	15°	SLE G7 13MM	92.70.131.00	---
2-1778-L	75	64.4	24	43	24°			
2-1779-L	75	64.4	24	43	40°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-2004-M	75	70	23	43	15°	SLE G7 9MM	92.70.131.00	---
2-2006-M	75	70	23	43	25°			
2-2008-M	75	70	23	43	36°			
2-2010-M	75	70	23	43	65°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1548-A3	85	79.3	25	51	15°	SLE G7 13MM	99.02.73.172	92.76.365.00
3-1549-A3	85	79	25	51	23°			
3-1550-A3	85	79	25	51	43°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1880-L	85	74.4	24	51	15°	SLE G7 13MM	92.70.131.00	---
3-1882-L	85	74.4	24	51	24°			
3-1884-L	85	74.4	24	51	34°			





CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-2033-M	85	79.3	23	51.2	15°	SLE G7 13MM	92.70.131.00	---
3-2040-M	85	79	23	51	20°			
3-2035-M	85	78	23	51.2	43°			




CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-2322-M	85	78	23	51.5	15°	SLE G7 13MM	92.70.131.00	---
3-2324-M	85	78	23	51.5	23°			
3-2326-M	85	78	23	51.5	33°			
3-2328-M	85	78	23	51.5	60°			




CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1545-A3	95	84	25	54.8	12°	SLE G7 13MM	99.02.73.172	92.76.365.00
3-1546-A3	95	84	25	55	25°			
3-1547-A3	95	84	25	55	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-2042-M	95	84	23	55	12°	SLE G7 13MM	92.70.131.00	—
3-2044-M	95	84	23	55.2	25°			
3-2046-M	95	84	23	55.2	30°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
4-2200-L	111	102	26	69.5	15°	SLE G7 13MM	92.70.131.00	—
4-2202-L	111	102	26	69.5	23°			
4-2204-L	111	101.9	26	69.5	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
4-2273-M	111	100	23	64.6	10°	SLE G7 13MM	92.70.131.00	—
4-2275-M	111	100	23	64.1	20°			
4-2267-M	111	100	22.4	64.2	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-2076-M	70	64.9	14.5	75.5	15°	SLE G7 15MM	92.70.131.00	—
2-2077-M	70	64.7	15	75.1	23°			
2-2078-M	70	65	15	75.1	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-2135-M	70	65	14.5	75.5	18°	SLE G7 15MM	BJB 47.360.1010	—
2-2136-M	70	65	15	75.1	24°			
2-2137-M	70	65	15	75.1	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1120-A3	75	71.4	25	43	15°	SLE G7 15MM	99.02.73.172	92.76.365.00
2-1121-A4	75	70.8	25	42.8	28°			
2-1122-A4	75	69.5	25	43	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1674-M	75	71.4	23	43.2	18°	SLE G7 15MM	92.70.131.00	—
2-1676-M	75	69.5	23	43.2	36°			




CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1777-L	75	64.4	24	43	18°	SLE G7 15MM	92.70.131.00	—
2-1778-L	75	64.4	24	43	26°			
2-1779-L	75	64.4	24	43	40°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1548-A3	85	79.3	25	51	15°	SLE G7 15MM	99.02.73.172	92.76.365.00
3-1549-A3	85	79	25	51	23°			
3-1550-A3	85	78	25	51	43°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1880-L	85	74.4	24	51	15°	SLE G7 15MM	92.70.131.00	—
3-1882-L	85	74.4	24	51	24°			
3-1884-L	85	74.4	24	51	35°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-2033-M	85	79.3	23	51.2	15°	SLE G7 15MM	92.70.131.00	---
3-2040-M	85	79	23	51	20°			
3-2035-M	85	78	23	51.2	43°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1545-A3	95	84	25	54.8	15°	SLE G7 15MM	99.02.73.172	92.76.365.00
3-1546-A3	95	84	25	55	25°			
3-1547-A3	95	84	25	55	43°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-2042-M	95	84	23	55	15°	SLE G7 15MM	92.70.131.00	---
3-2044-M	95	84	23	55.2	28°			
3-2046-M	95	84	23	55.2	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
4-2200-L	111	102	26	69.5	15°	SLE G7 15MM	92.70.131.00	---
4-2202-L	111	102	26	69.5	23°			
4-2204-L	111	101.9	26	69.5	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
4-2273-M	111	100	23	64	11°	SLE G7 15MM	92.70.131.00	---
4-2275-M	111	100	23	64.1	20°			
4-2267-M	111	100	22.4	64.2	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1566-M	75	70	32.2	40.6	20°	SLE G7 17MM	---	---
2-1567-M	75	70	32.2	40.6	25°			
2-1568-M	75	70	32.2	40.6	36°			
2-1569-M	75	70	32.2	40.6	55°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1938-M	85	78	32.2	51.5	18°	SLE G7 17MM	---	---
3-1939-M	85	78	32.2	51.5	28°			
3-1940-M	85	78	32.2	51.5	38°			
3-1941-M	85	78	32.2	51.5	55°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1942-M	95	86	32.2	55.5	18°	SLE G7 17MM	---	---
3-1943-M	95	86	32.2	55.5	25°			
3-1944-M	95	86	32.2	55.5	33°			
3-1945-M	95	86	32.2	55.5	55°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
4-2200-L	111	102	26	69.5	15°	SLE G7 17MM	---	---
4-2202-L	111	102	26	69.5	23°			
4-2204-L	111	101.9	26	69.5	36°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
2-1566-M	75	70	32.2	40.6	25°	SLE G7 21MM	---	---
2-1567-M	75	70	32.2	40.6	33°			
2-1568-M	75	70	32.2	40.6	38°			
2-1569-M	75	70	32.2	40.6	60°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1939-M	85	78	32.2	51.5	33°	SLE G7 21MM	—	—
3-1940-M	85	78	32.2	51.5	40°			
3-1941-M	85	78	32.2	51.5	55°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	METAL ADAPTAR
3-1942-M	95	86	32.2	55.5	20°	SLE G7 21MM	—	—
3-1943-M	95	86	32.2	55.5	30°			
3-1944-M	95	86	32.2	55.5	38°			
3-1945-M	95	86	32.2	55.5	55°			

PC REFLECTOR SERIES



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	LENS
1656-S	50	46.8	18.9	30	15°	SLE G7 9MM	92.70.124.00	—
1657-S	50	46.8	18.6	30	23°			
1658-S	50	46.8	17.9	30	33°			
1681-S	50	46.8	15.8	30	60°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	LENS
2-1793-N	75	69.3	23	53.5	18°	SLE G7 13MM	92.70.131.00 & 99.02.73.172	—
2-1794-N	75	69	23.9	53.5	28°			
2-1795-N	75	69.1	21.5	53.5	38°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	LENS
3-2115-N	85	80.9	23	65	13°	SLE G7 13MM	92.70.131.00	—
3-2116-N	85	80.3	21.9	65	23°			
3-2117-N	85	74.3	21.9	65	33°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	LENS
2-1793-N	75	69.3	23	53.5	18°	SLE G7 15MM	92.70.131.00 & 99.02.73.172	—
2-1794-N	75	69	23.9	53.5	28°			
2-1795-N	75	69.1	21.5	53.5	40°			



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	LENS
3-2115-N	85	80.9	23	65	18°	SLE G7 15MM	92.70.131.00	—
3-2116-N	85	80.3	21.9	65	25°			
3-2117-N	85	74.3	21.9	65	36°			

LENS SERIES



CODE	D	D1	D2	H	FWHM	LIGHT SOURCE	HOLDER	TYPE
LN01D06315BF-N	63	63	21	32	18°	SLE G7 13MM	92.70.131.00	COB LENS
LN01D06324BF-N	63	63	21	32	25°			
LN01D06337BF-N	63	63	21	32	36°			



GLOBAL OPTIC PARTS SPECIALIST

The low glare advocate, the biggest reflector design and manufacturer in China. Since 1998, Nata concentrate on the perfect balance between the functional requirements of light and maximized the optic efficiency. Nata is the partner of world's top lighting brands.

The main products: aluminum reflector, plastic reflector and Lens.

中国最大的照明反光杯制造商之一，低眩光照明倡导者。成立于1998年，专注舒适照明与高光效完美平衡的反光杯、透镜开发，众多世界著名灯具品牌的反光杯、透镜主要供应商。

主要产品：铝反光杯、塑料反光杯、透镜。

PRECISION TOOL DESIGN & MANUFACTURING 精密光学模具制造



沙迪克慢走丝机



精雕机



超精密纳米精雕机



模具



东芝全自动注塑机



注塑产品


REFLECTOR MANUFACTURE 反光杯制造



CNC



模具制造



模具



自动旋压机




五金冲压件



油压机








真空镀膜







铝阳极氧化

OPTICAL DESIGN 光学设计



OPTICAL TESTING 光学检测



Please contact us for get more information and pricing